AMENDMENT OF SOLICIT	CATION/MODIF	TICATION OF CONTRACT		1. CONTRACT I	ID CODE	P	AGE OF	PAGES
2. AMENDMENT/MODIFICATION NO.	3. EFFECTIVE DATE	4. REQUISITION/PURCHASE REQ. NO.			5. PROJEC	T NO.(f applica	
0002	02-Jul-2003	W26GLG-3167-0984						
6. ISSUED BY CODE	DACA65	7. ADMINISTERED BY (If other than item 6)		COI	DE			
CONTRACTING OFFICE (CA/CW) US ARMY ENGR DIST NORFOLK ATTN: CENAO-SS-C 803 FRONT STREET NORFOLK VA 23510-1096		See Item 6						
8. NAME AND ADDRESS OF CONTRACTOR	(No., Street, County, Sta	ate and Zip Code)	Х	9A. AMENDME DACA65-03-B-	ENT OF SO	OLICI	[ATIO]	NO.
			X	9B. DATED (SE		1)		
			_	01-Jul-2003				
				10A. MOD. OF	CONTRA	CT/OR	.DER N	Ю.
				10B. DATED (S	SEE ITEM	13)		
CODE	FACILITY COL		TT A	TIONG				
X The above numbered solicitation is amended as set forth		APPLIES TO AMENDMENTS OF SOLIC	$\overline{}$			د . د		
			ш	L	x is not ex	tenaea.		
Offer must acknowledge receipt of this amendment prio (a) By completing Items 8 and 15, and returning	-	d in the solicitation or as amended by one of the follont; (b) By acknowledging receipt of this amendment of	_		ıbmitted:			
or (c) By separate letter or telegram which includes a ref				1 0	iomitted,			
RECEIVED AT THE PLACE DESIGNATED FOR TH	E RECEIPT OF OFFERS PR	IOR TO THE HOUR AND DATE SPECIFIED MAY	YRE	SULT IN				
REJECTION OF YOUR OFFER. If by virtue of this an provided each telegram or letter makes reference to the s								
12. ACCOUNTING AND APPROPRIATION DA	TA (If required)	, , , , , , , , , , , , , , , , , , , ,	•					
		TO MODIFICATIONS OF CONTRACTS/0						
		CT/ORDER NO. AS DESCRIBED IN ITE			C DI TIL			
A. THIS CHANGE ORDER IS ISSUED PURS CONTRACT ORDER NO. IN ITEM 10A.	UANT TO: (Specify au	linonly) THE CHANGES SET FORTH IN	HE	M 14 ARE MADI	E IN THE			
B. THE ABOVE NUMBERED CONTRACT/C office, appropriation date, etc.) SET FORTH					nanges in p	aying		
C. THIS SUPPLEMENTAL AGREEMENT IS	ENTERED INTO PUR	SUANT TO AUTHORITY OF:						
D. OTHER (Specify type of modification and a	uthority)							
E. IMPORTANT: Contractor is not,	is required to sig	en this document and return	cop	pies to the issuing	office.			
14. DESCRIPTION OF AMENDMENT/MODIFIC where feasible.) AMENDMENT NO. 0002 to DACA65-03-B-0	, ,	<i>5</i>		ontract subject ma	ntter			
Except as provided herein, all terms and conditions of the doc								
15A. NAME AND TITLE OF SIGNER (Type or p	orint)	16A. NAME AND TITLE OF CON	TRA	ACTING OFFICE	R (Type o	r print)	1	
		TEL:		EMAIL:				
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNE	D 16B. UNITED STATES OF AMERI	CA		1	6C. D	ATE SI	GNEC
		BY				02- li	ıl-2003	
(Signature of person authorized to sign)	_	(Signature of Contracting Office	cer)			02-JL	I-2003	

EXCEPTION TO SF 30 APPROVED BY OIRM 11-84 STANDARD FORM 30 (Rev. 10-83) Prescribed by GSA FAR (48 CFR) 53.243

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

The following items are applicable to this modification:

CONTINUATION

Technical plans and specifications are amended. Make appropriate changes in accordance with the following:

NOTE: DRAWINGS AND SPECIFICATIONS ISSUED WITH BASIC SOLICITATION DATED JULY 1, 2003 SHALL SUPERSEDE AFFECTED DRAWINGS AND SPECIFICATIONS ISSUED WITH AMENDMENT NO. 0001 DATED JULY 2, 2003.

DRAWINGS

Sheet Numbers C-001, CD101, CD102, CD103, C-101, C-102, C-104, C-501 are revised as of June 12, 2003. These revised sheets accompany this amendment.

Sheet Number C-001 add the following additional information: NEW SANITARY SCHEDULE, STRUCTURE DATA: For Structure A, change proposed 8-inch invert elevation to read "INV. 10" (SW) = 3.12". For Structure B, change proposed 8-inch invert elevation to read "INV. 10" (NE) = 2.11". NEW SANITARY SCHEDULE, PIPE DATA: From Structure A to B, change 8" SAN. @ 2.42% to read "10" SAN. @ 2.24%".

Sheet Number ES103, DETAIL F4/ES101 & ES102/ES103 ADD C4 – 4" Conduit (SPARE) to the detail notes. Modify the detail to include an additional 4" conduit.

PROJECT TABLE OF CONTENTS

Delete section 02754, "Concrete Pavements for Small Projects" and replace it with 02754X in its entirety.

DIVISION 01 GENERAL REQUIREMENTS

SECTION 01330 – SUBMITTAL PROCEDURES

Make the following changes to the Submittal Register:

On page 4 of 35, change specification section 02754 to read as follows:

SPEC	DESCRIPTION	PARAGRAPH#
SECT	ITEM SUBMITTED	(e)
(c)	(d)	
02754X	SD-03 Product Data	
	Mixture Proportions	2.9
	SD-06 Test Reports	
	Joint sealer	3.11.7.1
	SD-08 Manufacturer's Instructions	
	Joint sealants	2.6.3
	SD-11 Closeout submittals	
	Joint sealer	3.11.7.1

Joint filler	2.6.1
--------------	-------

On page 8 of 35, add "G AE" in column (f) to all items of Spec Sect 05120.

SECTION 01451 – Contractor Quality Control

Delete paragraph 3.4.3 CQC Personnel

DIVISION 02 SITE WORK

SECTION 02072 - EXCAVATION OF PETROLEUM CONTAMINATED SOIL

1.5 AVAILABLE DATA

Delete the last sentence and replace with the following: "A subsurface soil investigation was also conducted by IMS Environmental Services (IMS). The results of the investigations including boring logs and laboratory report (s) is an attachment to this amendment.

DIVISION 05 METALS

SECTION 05120 - STRUCTURAL STEEL

1.4 SUBMITTALS

Under SD-03 Product Data, add "G|AE" to each item listed.

Under SD-06 Test Reports, add "G|AE" to each item listed.

Under SD-07 Certificates, add "G|AE" to each item listed.

SECTION 08710 – DOOR HARDWARE

PART 2 PRODUCTS

2.3.9 Closers

Add the following new subparagraph:

"2.3.9.1 Closer w/EHO (Electronic Hold Open)

Provide multi-point hold-open closers of same manufacturer of standard closers and of same grade and size requirements, except with built-in electronic holding assembly for release of doors when activated by fire/smoke detection and alarm system. UL listed and approved. Provide closer unit with transformer required to interface with 120 Volt, single phase power supply."

PART 3 EXECUTION

3.5 HARDWARE SETS

HW-6

Change the 3rd line "Closer" to read as follows:

"1 Closer w/EHO As specified x 692/600"

HW-7

Change the 3rd line "Closers" to read as follows:

"2 Closers w/EHO As specified x 692/600"

MEDICAL WAREHOUSE - SOIL INVESTIGATION

United States Army Corps of Engineers, Norfolk District
Langley Air Force Base
Medical Warehouse
Hampton, Virginia

IMS Project Number: 351.3418

Submitted To:
Mr. Marc Gutterman
United States Army Corps of Engineers, Norfolk District
GeoEnvironmental Branch
803 Front Street
Norfolk, Virginia 23510
(757) 441-7669

Prepared By: IMS Environmental Services 929 Professional Place Chesapeake, VA 23320

Prepared By:	Reviewed by:
Douglas E. Macnab	Robert Reali, P.E.
Project Manager	Project Manager

May 2, 2003

TABLE OF CONTENTS

1.0 INTRODUCTION
2.0 SITE HISTORY
3.0 SITE ASSESSMENT PROCEDURES1
4.0 INVESTIGATION RESULTS
5.0 CONCLUSIONS
TABLES
Table 1: Geoprobe [®] Soil Boring Field Observations Table 2: Soil Analytical Results Table 3: Soil Analytical Results for SB-01
FIGURES
Figure 1: Portion of U.S.G.S. Hampton, Virginia topographic map illustrating the location and topography of the site. Figure 2: Site map illustrating Geoprobe sample locations. Figure 3: Site map illustrating adsorbed phase analytical concentrations. Data collected on April 3, 2003.

APPENDICES

Appendix A: Laboratory Analytical Report

1.0 INTRODUCTION

IMS Environmental Services (IMS) was contracted by the United States Army Corps of Engineers (USACE) to perform a subsurface soil investigation at the proposed Medical Warehouse site at Langley Air Force Base, Hampton, Virginia. This site work is being conducted to pre-determine the existence of any environmental problems before excavation begins (Figures 1 and 2).

2.0 SITE HISTORY

The site is currently a parking lot adjacent to the Hospital at Langley Air Force Base. Several utilities cross the site. However, there are no known tanks or petroleum problems located on the site. A solvent odor was observed during Geo-technical boring B-4.

3.0 SITE ASSESSMENT PROCEDURES

As part of this investigation, IMS conducted soil sampling, using Environmental Science Corporation (ESC) a USACE validated laboratory. Samples were analyzed for benzene, toluene, ethylbenzene, and total xylene (BTEX), total petroleum hydrocarbons: gasoline-range organics and diesel-range organics (TPH-GRO and -DRO), and Naphthalene. Samples were collected using a direct push Geoprobe. The Geoprobe advanced a hollow tube sampler lined with an acetate sleeve into the subsurface at four-foot intervals. Soil collected in this sleeve was used for the sample. Sampling locations focused on the site of proposed building construction as illustrated in Figure 2. Results of the soil investigation are presented in Section 4.

All samples were numbered as to their site designation, soil boring, and the depth below ground surface that the sample was collected. For example, SB-02-07 represents a soil sample from soil boring location number SB-02 collected at a depth of 7 feet below grade surface. Soil samples were labeled for each soil boring.

4.0 INVESTIGATION RESULTS

4.1 Soil Sampling Results

As hydrocarbons migrate vertically through the vadose zone and horizontally via groundwater flow, a percentage of the hydrocarbons will become adsorbed to the soil particles. Soil borings to sample adsorbed phase hydrocarbons were collected by a Geoprobe[®].

Figure 2 illustrates Geoprobe[®] soil boring locations. Soil borings were collected to a depth 8-feet. Table 1 describes each soil boring, as to the onsite apparent petroleum impact using visual and olfactory methods. Select samples were screened utilizing a Photo Ionization Detector (PID).

Table 1: Geoprobe® Soil Boring Field Observations

Boring ID	Description of Soil Boring
SB-01	No apparent petroleum odor or staining to 8 feet bgs. PID reading at 5-foot mark was 0.0 ppm. Collected soil sample SB-01-05.
SB-02	No apparent petroleum odor or staining to 8 feet bgs. PID reading at 5-foot mark was 0.3 ppm. Collected soil sample SB-02-05.
SB-03	No apparent petroleum odor or staining to 8 feet bgs. No samples collected at this location.
SB-04	No apparent petroleum odor or staining to 8 feet bgs. PID reading at 5-foot mark was 0.0 ppm. No samples collected at this location.
SB-05	Refusal at 2 foot bgs. No apparent petroleum odor or staining. No samples collected at this location.
SB-06	No apparent petroleum odor or staining to 8 feet bgs. PID reading at 5-foot mark was 3.0 ppm. No samples collected at this location.

Field Work conducted on April 3, 2003

The soil samples collected from soil borings SB-01 and SB-02 were sent to Environmental Science Corp. Laboratory in Mt. Juliet, Tennessee. Analytical results for those samples are summarized in Table 2, with the laboratory report located in Appendix A.

Table 2: Soil Analytical Results

ID	Parameter	Result	Units	DL	DF
	Benzene	BDL	mg/kg	0.0059	5
SB-01-05	Toluene	0.038	mg/kg	0.029	5
SB-01-03	Ethylbenzene	BDL	mg/kg	0.0059	5
	Xylene (total)	BDL	mg/kg	0.018	5
	TPH-DRO(C10-C28)	300	mg/kg	4.8	1
	TPH-GRO (C6-C10)	0.67	mg/kg	0.59	5
	Benzene	BDL	mg/kg	0.0059	5
SB-02-05	Toluene	0.10	mg/kg	0.030	5
	Ethylbenzene	BDL	mg/kg	0.0059	5
	Xylene (total)	BDL	mg/kg	0.18	5
	Naphthalene	BDL	mg/kg	0.030	5

DL - Detection Limit; DF - Dilution Factor; BDL - Below Detection Limit

Soil samples collected at soil borings SB-02 had TPH-DRO concentrations above the Virginia Department of Environmental Quality action limit of 100 ppm. The TPH concentration in soil boring SB-02 is located on the Northeast corner of the proposed Medical Logistics Warehouse. Total BTEX levels were detected at both sample locations. Naphthalene was below detectable levels for SB-02-05. Figure 3 depicts the above analytical results in relation to the proposed construction of the new Medical Logistics Warehouse.

During the geological investigation a solvent odor was detected in soil boring #4. IMS collected soil sample SB-01-05 at this location. IMS did not detect either a petroleum or solvent odor during the collection of this sample. Table 3 is a summary of the constituents analyzed.

Table 3: Analytical Results for SB-01

1 able 5: Analytical Results for SB-01							
ID	Parameter	Result	Units	DL	DF		
	Cyanide	BDL	mg/kg	0.098	1		
	Extracted TOX	BDL	mg/kg	29	1		
	Total Organic Carbon	10,000	mg/kg	12	1		
	Ignitability	> 170	°F		1		
	Corrosivity	Nor	n-Corros	sive	1		
	Reactive CN	BDL	mg/kg	0.0059	1		
	Reactive Sulf	BDL	mg/kg	29	1		
	Mercury	0.028	mg/kg	0.024	1		
	Aluminum	8,500	mg/kg	5.9	1		
	Antimony	1.7	mg/kg	0.29	1		
	Arsenic	2.3	mg/kg	0.59	1		
	Barium	33	mg/kg	0.29	1		
SB-01-05	Beryllium	0.52	mg/kg	0.12	1		
	Cadmium	BDL	mg/kg	0.29	1		
	Chromium	24	mg/kg	0.59	1		
	Cobalt	2.0	mg/kg	0.59	1		
	Copper	3.8	mg/kg	0.59	1		
	Iron	8,000	mg/kg	2.9	1		
	Lead	10	mg/kg	0.29	1		
	Magnesium	590	mg/kg	5.9	1		
	Manganese	70	mg/kg	0.59	1		
	Nickel	5.8	mg/kg	0.59	1		
	Potassium	260	mg/kg	29	1		
	Selenium	1.6	mg/kg	0.59	1		
	Silver	BDL	mg/kg	0.29	1		
	Sodium	410	mg/kg	29	1		

Table 3: Soil Analytical Results for SB-01 (Cont)

ID	Parameter	Result	Units	DL	DF
	Thallium	2.4	mg/kg	0.59	1
	Vanadium	29	mg/kg	0.59	1
	Zinc	11	mg/kg	1.8	1
SB-01-05	Volatile Organics (excluding Toluene)	BDL	mg/kg	Various	5
	Toluene	0.038	mg/kg	0.029	5
	Pesticides/PCBs	BDL	mg/kg	Various	1
	Semi-volatile Organics	BDL	mg/kg	0.78	2

DL – Detection Limit; **DF** - Dilution Factor; **BDL** - Below Detection Limit


4.2 Water Sampling Results

Water samples were not collected from this site.

5.0 CONCLUSIONS

The soils generated by excavation of the footer for the proposed Medical Logistics Warehouse should be screened for petroleum impact utilizing either a PID or flame ionization detector in the vicinity of SB-02. Petroleum impacted soil should be segregated, stockpiled, sampled, and recycled or disposed of at an approved disposal/recycling facility.

Possible disposal methods include thermal destruction or landfarming; both of which are available in the Hampton Roads area. Costs for transportation and disposal of soil in the 5 to 10,000 mg/kg range, would be between \$55 and \$65 per cubic yard, depending on excavation and stockpiling procedures.



APPENDIX A

Laboratory Analytical Report

Company Name/Address: IMS Environmental Services-Virginia PO Box 1779 Norfolk.VA 23501-1779		Alte	Alternate billing information:			(6.25) X	Analysis/Container/Preservative			/ e	Chain of Custody Page of Prepared by: ENVIRONMENTAL SCIENCE CORP. 12065 Lebanon Road		
Project Description: ACO E Med Phone: (757) 436-3000 FAX: (757) 436-5266	Neinterl Collect Project # 351.3	ehouse:	City/Sate Collected L		e insc y , v A	νν. α	سَمَ		, sts ,Pc_Bs	COFFES WITY		Mt. Juliet, Phone (6) Phone (8)	
Collected by: D - Maranab Collected by (signature): Packed on Ice N (Y) Sample ID	Sar Ner	b MUST Be Norme Day	Notified) 200% . 100%	Date Resul Email? FAX? X	Its Needed:	No. of Cntrs	BTEX, Name	TPH (DRO) AL Independe	TCL Volctive Pestecides			CoCode IMSENT Template/Prelogin Shipped Via: Remarks/Contaminant	Sample # (lab only)
SB-01-05 SB-02-05	Greb	Soil	4-6"	4/3/03	9:15	1	X	X	××	1 1840000	X	PED = 0.3	L109468-01
*Matrix: SS - Soil/Solid GW - Grou Remarks:	ındwater WW -	WasteWater	DW - Drink	king Water (OT - Other_						pH _	TerOth	
Relinquished by (Signature) Relinquished by: (Signature)	Date: 4/3/	Time: 144. Time:	5	ed by: (Signa ed by: (Signa				_ KF	nples returne edEx □ Co	urier □ Bottles_Re			(lab use only) -AK-14
Relinquished by: (Signature)	Date:	Time:	Recei	ved for lab b	y (Signatus			Dall H	· 4-03	Time: 9:0		pH Checked:	NCF:

SAMPLE NON-CONFORMANCE FORM Sample No.: LIG9468 Date: 4/4/03 Evaluated by: Lacut Chient: LMSEANVA Non-Conformance (check applicable items) Chain of Custody is missing Improper container type Chain of custody is incomplete Chain of custody is incomplete Chain of custody is incomplete Broken container; sufficient sample Broken container; sufficient sample
Comments: Distriction of the packing material around container Insufficient packing material inside cooler Insufficient packing material inside cooler Improper handling by carrier (FedEx / UPS / Courier) Sample was frozen Sample was frozen
Login Instructions: Client informed by call Jenail fax / voice mail date: 4-4-03 time: 340 pm Client contact: (1) Pre to 15 Ext by M6010 THL CN, SV837070. V8340 TOL for 56-01-05 (2) V8340 BTE VN



Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Douglas Macnab IMS Environmental Services-Virginia

P.O. Box 1779 Norfolk, VA 23501-1779

April 11,2003

Site ID :

ESC Sample # : L109468-01

Project #: 351.3418

Date Received : April 04, 2003
Description : ACOE-Medical Warehouse

: SB-01-05 4-6 FT Sample ID

Collected By : D Macnab Collection Date : 04/03/03 09:15

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Corrosivity		Non-Corrosiv		9040A	04/04/03	1
Cyanide	BDL	0.098	mg/kg	9012	04/09/03	1
Extracted TOX	BDL	29.	mg/kg	9023	04/09/03	1
Ignitability		See Footnote	Deg. F	D4982	04/09/03	1
Reactive CN (SW846 7.3.4.1)	BDL	0.0059	mg/kg	9012A	04/09/03	1
Reactive Sulf.(SW846 7.3.4.2)	BDL	29.	mg/kg	9030B	04/08/03	1
TOC (Total Organic Carbon)	10000	12.	mg/kg	9060	04/09/03	1
Total Solids	84.9		%	2540G	04/09/03	1
Mercury	0.028	0.024	mg/kg	7471	04/08/03	1
Aluminum Antimony Arsenic Barium Beryllium Cadmium Calcium Chromium Cobalt Copper Iron Lead Magnesium Manganese Nickel Potassium Selenium Silver Sodium	8500 1.7 2.3 33. 0.52 BDL 2200 24. 2.0 3.8 8000 10. 590 70. 5.8 260 1.6 BDL 410	5.9 0.29 0.59 0.12 0.29 29. 0.59 0.59 0.59 0.59 0.59 0.59 0.59 0.59 0.59	mg/kg	6010B 6010B 6010B 6010B 6010B 6010B 6010B 6010B 6010B 6010B 6010B 6010B 6010B 6010B 6010B	04/09/03 04/09/03 04/09/03 04/09/03 04/09/03 04/09/03 04/09/03 04/09/03 04/09/03 04/09/03 04/09/03 04/09/03 04/09/03 04/09/03 04/09/03	
Thallium Vanadium	2.4	0.59 0.59	mg/kg mg/kg	6010B 6010B	04/09/03 04/09/03	1 1

Results listed are dry weight basis. BDL - Below Detection Limit

Det. Limit - Estimated Quantitation Limit(EQL)

Laboratory Certification Numbers:

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01

KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233 Note:



Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Douglas Macnab IMS Environmental Services-Virginia

P.O. Box 1779 Norfolk, VA 23501-1779

April 11,2003

Site ID :

ESC Sample # : L109468-01

Project #: 351.3418

Date Received : April 04, 2003
Description : ACOE-Medical Warehouse

: SB-01-05 4-6 FT Sample ID

Collected By : D Macnab Collection Date : 04/03/03 09:15

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Zinc	11.	1.8	mg/kg	6010B	04/09/03	1
Volatile Organics						
Acetone	BDL	0.29	mq/kq	8260B	04/08/03	5
Benzene	BDL	0.0059	mg/kg	8260B	04/08/03	5
Bromodichloromethane	BDL	0.0059	mg/kg	8260B	04/08/03	5
Bromoform	BDL	0.0059	mg/kg	8260B	04/08/03	5
Bromomethane	BDL	0.0059	mg/kg	8260B	04/08/03	5
Carbon disulfide	BDL	0.0059	mg/kg	8260B	04/08/03	5
Carbon tetrachloride	BDL	0.0059	mg/kg	8260B	04/08/03	5
Chlorobenzene	BDL	0.0059	mg/kg	8260B	04/08/03	5
Chlorodibromomethane	BDL	0.0059	mg/kg	8260B	04/08/03	5
Chloroethane	BDL	0.0059	mg/kg	8260B	04/08/03	5
Chloroform	BDL	0.029	mg/kg	8260B	04/08/03	5
Chloromethane	BDL	0.0059	mg/kg	8260B	04/08/03	5
1,1-Dichloroethane	BDL	0.0059	mg/kg	8260B	04/08/03	5
1,2-Dichloroethane	BDL	0.0059	mg/kg	8260B	04/08/03	5
1,1-Dichloroethene	BDL	0.0059	mg/kg	8260B	04/08/03	5
cis-1,2-Dichloroethene	BDL	0.0059	mg/kg	8260B	04/08/03	5
trans-1,2-Dichloroethene	BDL	0.0059	mg/kg	8260B	04/08/03	5
1,2-Dichloropropane	BDL	0.0059	mg/kg	8260B	04/08/03	5
cis-1,3-Dichloropropene	BDL	0.0059	mg/kg	8260B	04/08/03	5
trans-1,3-Dichloropropene	BDL	0.0059	mg/kg	8260B	04/08/03	5
Ethylbenzene	BDL	0.0059	mg/kg	8260B	04/08/03	5
2-Hexanone	BDL	0.29	mg/kg	8260B	04/08/03	5
2-Butanone (MEK)	BDL	0.29	mg/kg	8260B	04/08/03	5
Methylene Chloride	BDL	0.029	mg/kg	8260B	04/08/03	5
4-Methyl-2-pentanone (MIBK)	BDL	0.29	mg/kg	8260B	04/08/03	5
1,1,2,2-Tetrachloroethane	BDL	0.0059	mg/kg	8260B	04/08/03	5
Tetrachloroethene	BDL	0.0059	mg/kg	8260B	04/08/03	5
Toluene	0.038	0.029	mg/kg	8260B	04/08/03	5
1,1,1-Trichloroethane	BDL	0.0059	mg/kg	8260B	04/08/03	5
1,1,2-Trichloroethane	BDL	0.0059	mg/kg	8260B	04/08/03	5
Trichloroethene	BDL	0.0059	mg/kg	8260B	04/08/03	5
Vinyl chloride	BDL	0.0059	mg/kg	8260B	04/08/03	5
Xylenes, Total	BDL	0.018	mg/kg	8260B	04/08/03	5
Surrogate Recovery						
Toluene-d8	98.		% Rec.	8260B	04/08/03	5
Dibromofluoromethane	100		% Rec.	8260B	04/08/03	5

Results listed are dry weight basis. BDL - Below Detection Limit

Det. Limit - Estimated Quantitation Limit(EQL)

Laboratory Certification Numbers:

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01

KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233 Note:



Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Douglas Macnab IMS Environmental Services-Virginia

P.O. Box 1779 Norfolk, VA 23501-1779

April 11,2003

Site ID :

ESC Sample # : L109468-01

Project #: 351.3418

Date Received : April 04, 2003
Description : ACOE-Medical Warehouse

: SB-01-05 4-6 FT Sample ID

Collected By : D Macnab Collection Date : 04/03/03 09:15

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
4-Bromofluorobenzene	100		% Rec.	8260B	04/08/03	5
Pesticide/PCBs						
Aldrin	BDL	0.024	mg/kg	8081/8082	04/09/03	1
Alpha BHC	BDL	0.024	mg/kg	8081/8082	04/09/03	1
Beta BHC	BDL	0.024	mg/kg	8081/8082	04/09/03	1
Delta BHC	BDL	0.024	mg/kg	8081/8082	04/09/03	1
Gamma BHC	BDL	0.024	mg/kg	8081/8082	04/09/03	1
Chlordane	BDL	0.24	mg/kg	8081/8082	04/09/03	1
4,4-DDD	BDL	0.024	mg/kg	8081/8082	04/09/03	1
4,4-DDE	BDL	0.024	mg/kg	8081/8082	04/09/03	1
4,4-DDT	BDL	0.024	mg/kg	8081/8082	04/09/03	1
Dieldrin	BDL	0.024	mg/kg	8081/8082	04/09/03	1
Endosulfan I	BDL	0.024	mg/kg	8081/8082	04/09/03	1
Endosulfan II	BDL	0.024	mg/kg	8081/8082	04/09/03	1
Endosulfan sulfate	BDL	0.024	mg/kg	8081/8082	04/09/03	1
Endrin	BDL	0.024	mg/kg	8081/8082	04/09/03	1
Endrin aldehyde	BDL	0.024	mg/kg	8081/8082	04/09/03	1
Heptachlor	BDL	0.024	mg/kg	8081/8082	04/09/03	1
Heptachlor epoxide	BDL	0.024	mg/kg	8081/8082	04/09/03	1
Methoxychlor	BDL	0.024	mg/kg	8081/8082	04/09/03	1
Toxaphene	BDL	0.47	mg/kg	8081/8082	04/09/03	1
PCB 1016	BDL	0.24	mg/kg	8081/8082	04/09/03	1
PCB 1221	BDL	0.24	mg/kg	8081/8082	04/09/03	1
PCB 1232	BDL	0.47	mg/kg	8081/8082	04/09/03	1
PCB 1242	BDL	0.24	mg/kg	8081/8082	04/09/03	1
PCB 1248	BDL	0.24	mg/kg	8081/8082	04/09/03	1
PCB 1254	BDL	0.24	mg/kg	8081/8082	04/09/03	1
PCB 1260	BDL	0.24	mg/kg	8081/8082	04/09/03	1
Pest/PCBs Surrogates						
Decachlorobiphenyl	74.		% Rec.	8081/8082	04/09/03	1
Tetrachloro-m-xylene	60.		% Rec.	8081/8082	04/09/03	1
TCL Base/Neutral Extractables						
Acenaphthene	BDL	0.78	mg/kg	8270C	04/09/03	2
Acenaphthylene	BDL	0.78	mg/kg	8270C	04/09/03	2
Anthracene	BDL	0.78	mg/kg	8270C	04/09/03	2
Benzo(a)anthracene	BDL	0.78	mg/kg	8270C	04/09/03	2
Benzo(b)fluoranthene	BDL	0.78	mg/kg	8270C	04/09/03	2

Results listed are dry weight basis. BDL - Below Detection Limit

Det. Limit - Estimated Quantitation Limit(EQL)

Laboratory Certification Numbers:

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01

KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233 Note:



Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Douglas Macnab IMS Environmental Services-Virginia

P.O. Box 1779 Norfolk, VA 23501-1779

April 11,2003

Site ID :

ESC Sample # : L109468-01

Project #: 351.3418

Date Received : April 04, 2003
Description : ACOE-Medical Warehouse

: SB-01-05 4-6 FT Sample ID

Collected By : D Macnab Collection Date : 04/03/03 09:15

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Benzo(k)fluoranthene	BDL	0.78	mg/kg	8270C	04/09/03	2
Benzo(g,h,i)perylene	BDL	0.78	mg/kg	8270C	04/09/03	2
Benzo(a)pyrene	BDL	0.78	mg/kg	8270C	04/09/03	2
Bis(2-chlorethoxy)methane	BDL	0.78	mg/kg	8270C	04/09/03	2
Bis(2-chloroethyl)ether	BDL	0.78	mg/kg	8270C	04/09/03	2
Bis(2-chloroisopropyl)ether	BDL	0.78	mg/kg	8270C	04/09/03	2
4-Bromophenyl-phenylether	BDL	0.78	mg/kg	8270C	04/09/03	2
Carbazole	BDL	0.78	mg/kg	8270C	04/09/03	2
4-Chloroaniline	BDL	0.78	mg/kg	8270C	04/09/03	2
2-Chloronaphthalene	BDL	0.78	mg/kg	8270C	04/09/03	2
4-Chlorophenyl-phenylether	BDL	0.78	mg/kg	8270C	04/09/03	2
Chrysene	BDL	0.78	mg/kg	8270C	04/09/03	2
Dibenz(a,h)anthracene	BDL	0.78	mg/kg	8270C	04/09/03	2
Dibenzofuran	BDL	0.78	mg/kg	8270C	04/09/03	2
3,3-Dichlorobenzidine	BDL	0.78	mg/kg	8270C	04/09/03	2
2,4-Dinitrotoluene	BDL	0.78	mg/kg	8270C	04/09/03	2
2,6-Dinitrotoluene	BDL	0.78	mg/kg	8270C	04/09/03	2
Fluoranthene	BDL	0.78	mg/kg	8270C	04/09/03	2
Fluorene	BDL	0.78	mg/kg	8270C	04/09/03	2
Hexachlorobenzene	BDL	0.78	mg/kg	8270C	04/09/03	2
Hexachloro-1,3-butadiene	BDL	0.78	mg/kg	8270C	04/09/03	2
Hexachlorocyclopentadiene	BDL	0.78	mg/kg	8270C	04/09/03	2
Hexachloroethane	BDL	0.78	mg/kg	8270C	04/09/03	2
Indeno(1,2,3-cd)pyrene	BDL	0.78	mg/kg	8270C	04/09/03	2
Isophorone	BDL	0.78	mg/kg	8270C	04/09/03	2
2-Methylnaphthalene	BDL	0.78	mg/kg	8270C	04/09/03	2
Naphthalene	BDL	0.78	mg/kg	8270C	04/09/03	2
2-Nitroaniline	BDL	0.78	mg/kg	8270C	04/09/03	2
3-Nitroaniline	BDL	0.78	mg/kg	8270C	04/09/03	2
4-Nitroaniline	BDL	0.78	mg/kg	8270C	04/09/03	2
Nitrobenzene	BDL	0.78	mg/kg	8270C	04/09/03	2
n-Nitrosodiphenylamine	BDL	0.78	mg/kg	8270C	04/09/03	2
n-Nitrosodi-n-propylamine	BDL	0.78	mg/kg	8270C	04/09/03	2
Phenanthrene	BDL	0.78	mg/kg	8270C	04/09/03	2
Benzylbutyl phthalate	BDL	0.78	mg/kg	8270C	04/09/03	2
Bis(2-ethylhexyl)phthalate	BDL	0.78	mg/kg	8270C	04/09/03	2
Di-n-butyl phthalate	BDL	0.78	mg/kg	8270C	04/09/03	2
Diethyl phthalate	BDL	0.78	mg/kg	8270C	04/09/03	2
Dimethyl phthalate	BDL	0.78	mg/kg	8270C	04/09/03	2

Results listed are dry weight basis. BDL - Below Detection Limit

Det. Limit - Estimated Quantitation Limit(EQL)

Laboratory Certification Numbers:

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01

KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233 Note:



Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Douglas Macnab IMS Environmental Services-Virginia

P.O. Box 1779 Norfolk, VA 23501-1779

April 11,2003

Site ID :

ESC Sample # : L109468-01

Project #: 351.3418

Date Received : April 04, 2003
Description : ACOE-Medical Warehouse

: SB-01-05 4-6 FT Sample ID

Collected By : D Macnab Collection Date : 04/03/03 09:15

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Di-n-octyl phthalate	BDL	0.78	mg/kg	8270C	04/09/03	2
Pyrene	BDL	0.78	mg/kg	8270C	04/09/03	2
1,2,4-Trichlorobenzene	BDL	0.78	mg/kg	8270C	04/09/03	2
TCL Acid Extractables						
4-Chloro-3-methylphenol	BDL	0.78	mg/kg	8270C	04/09/03	2
2-Chlorophenol	BDL	0.78	mg/kg	8270C	04/09/03	2
2,4-Dichlorophenol	BDL	0.78	mg/kg	8270C	04/09/03	2
2,4-Dimethylphenol	BDL	0.78	mg/kg	8270C	04/09/03	2
4,6-Dinitro-2-methylphenol	BDL	0.78	mg/kg	8270C	04/09/03	2
2,4-Dinitrophenol	BDL	0.78	mg/kg	8270C	04/09/03	2
2-Nitrophenol	BDL	0.78	mg/kg	8270C	04/09/03	2
4-Nitrophenol	BDL	0.78	mg/kg	8270C	04/09/03	2
Pentachlorophenol	BDL	0.78	mg/kg	8270C	04/09/03	2
Phenol	BDL	0.78	mg/kg	8270C	04/09/03	2
2,4,5-Trichlorophenol	BDL	0.78	mg/kg	8270C	04/09/03	2
2,4,6-Trichlorophenol	BDL	0.78	mg/kg	8270C	04/09/03	2
Surrogate Recovery						
Nitrobenzene-d5	42.		% Rec.	8270C	04/09/03	2
2-Fluorobiphenyl	46.		% Rec.	8270C	04/09/03	2
p-Terphenyl-d14	49.		% Rec.	8270C	04/09/03	2
Phenol-d5	23.		% Rec.	8270C	04/09/03	2
2-Fluorophenol	20.		% Rec.	8270C	04/09/03	2
2,4,6-Tribromophenol	38.		% Rec.	8270C	04/09/03	2

Representative

Results listed are dry weight basis. BDL - Below Detection Limit

Det. Limit - Estimated Quantitation Limit(EQL)

Laboratory Certification Numbers:

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01

KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted Reported: 04/10/03 15:55 Printed: 04/11/03 09:29 L109468-01 (IGNITABILITY) - Does not flash @ 170



Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Douglas Macnab IMS Environmental Services-Virginia

P.O. Box 1779 Norfolk, VA 23501-1779

April 11,2003

Project #: 351.3418

ESC Sample # : L109468-02

Date Received : April 04, 2003
Description : ACOE-Medical Warehouse

Site ID : : SB-02-05 5 FT Sample ID

Collected By : D Macnab Collection Date : 04/03/03 09:50

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	84.2		%	2540G	04/09/03	1
TPH (GC/FID) Low Fraction	0.67	0.59	mg/kg	GRO	04/07/03	5
Surrogate Recovery (70-130) a,a,a-Trifluorotoluene	95.		% Rec.	GRO	04/07/03	5
Benzene Toluene Ethylbenzene Xylenes, Total Naphthalene Surrogate Recovery	BDL 0.10 BDL BDL BDL	0.0059 0.030 0.0059 0.018 0.030	mg/kg mg/kg mg/kg mg/kg mg/kg	8260B 8260B 8260B 8260B 8260B	04/08/03 04/08/03 04/08/03 04/08/03 04/08/03	5 5 5 5
Toluene-d8 Dibromofluoromethane 4-Bromofluorobenzene	97. 98. 99.		% Rec. % Rec. % Rec.	8260B 8260B 8260B	04/08/03 04/08/03 04/08/03	5 5 5
TPH (GC/FID) High Fraction Surrogate Recovery (50-150)	300	4.8	mg/kg	8015	04/09/03	1
o-Terphenyl	79.		% Rec.	8015	04/09/03	1

Representative

Results listed are dry weight basis. BDL - Below Detection Limit

Det. Limit - Estimated Quantitation Limit(EQL)

Laboratory Certification Numbers:

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01

KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted Reported: 04/10/03 15:55 Printed: 04/11/03 09:29

Attachment A List of Analytes with QC Qualifiers

Aluminum Calcium Chromium Iron Magnesium Manganese Potassium Sodium Acenaphthene Acenaphthylene Anthracene	VJ3 VJ3 J5 J3 J4BV VJ3 J5 J6J3 J6J3 O
Chromium Iron Magnesium Manganese Potassium Sodium Acenaphthene Acenaphthylene Anthracene	J5 J3 J4BN VJ3 J5 J6J3 J6J3 O
Iron Magnesium Manganese Potassium Sodium Acenaphthene Acenaphthylene Anthracene	J3 J4B\ VJ3 J5 J6J3 J6J3 O
Magnesium Manganese Potassium Sodium Acenaphthene Acenaphthylene Anthracene	VJ3 J5 J6J3 J6J3 O
Manganese Potassium Sodium Acenaphthene Acenaphthylene Anthracene	J5 J6J3 J6J3 O
Potassium Sodium Acenaphthene Acenaphthylene Anthracene	J6J3 J6J3 О
Sodium Acenaphthene Acenaphthylene Anthracene	J6J3 О
Acenaphthylene Anthracene	
Anthracene	^
	0
	0
	0
	0
	0
	0
	Ö
	Ö
Bis(2-chloroisopropyl)ether	Ö
4-Bromophenyl-phenylether	0
Carbazole	0
4-Chloroaniline	0
2-Chloronaphthalene	0
	0
	0
	0
	Ö
	Ö
2,6-Dinitrotoluene	0
Fluoranthene	Ο
Fluorene	0
	0
	0
	0
	0
	Ö
	Ö
Naphthalene	0
2-Nitroaniline	Ο
	0
	0
	0
	0
	0
	0
	Ö
Di-n-butyl phthalate	Ö
Diethyl phthalate	0
Dimethyl phthalate	0
Di-n-octyl phthalate	0
	0
	0
	0
	0
	Ö
	Ö
2,4-Dinitrophenol	Ö
2-Nitrophenol	Ö
4-Nitrophenol	J40
Pentachlorophenol	0
Phenol	O
	0
	0
	J20 О
	Anthracene Benzo(a)anthracene Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(g,h,i)perylene Benzo(a)pyrene Bis(2-chlorethoxy)methane Bis(2-chlorothyl)ether Bis(2-chlorosopropyl)ether 4-Bromophenyl-phenylether Carbazole 4-Chloroaniline 2-Chloroaphthalene 4-Chlorophenyl-phenylether Chrysene Dibenz(a,h)anthracene Dibenzofuran 3,3-Dichlorobenzidine 2,4-Dinitrotoluene fluorene Hexachlorobenzene Hexachlorobenzene Hexachlorothane Fluorene Hexachlorocyclopentadiene Hexachlorocyclopentadiene Hexachlorone 2-Methylnaphthalene Naphthalene 2-Nitroaniline 3-Nitroaniline 3-Nitroaniline 4-Nitrosodi-n-propylamine n-Nitrosodi-n-propylamine phenanthrene Benzylbutyl phthalate Bis(2-ethylhexyl)phthalate Di-n-butyl phthalate Di-n-butyl phthalate Di-n-octyl phthalate Di-n-octy

Attachment A List of Analytes with QC Qualifiers

Sample #	Analyte	Qualifier
	p-Terphenyl-d14	0
	Phenol-d5	0
	2-Fluorophenol	Ј20
	2,4,6-Tribromophenol	J2О
	4,4-DDT	Ј3
	Endosulfan I	Ј4Ј6
	Endosulfan II	Ј4
	Heptachlor	Ј3
	Methoxychlor	J3
	PCB 1016	Ј3J5
	PCB 1221	Ј3J5
	PCB 1232	Ј3J5
	PCB 1242	Ј3J5
	PCB 1248	Ј3J5
	PCB 1254	Ј3J5
	PCB 1260	Ј3Ј5

Attachment B Explanation of QC Qualifier Codes

Qualifier	Meaning
0	(ESC) Sample diluted due to matrix interferences that impaired the ability to make an accurate analytical determination. The detection limit is elevated in order to reflect the necessary dilution.
Ј2	Surrogate recovery limits have been exceeded; values are outside lower control limits
Ј3	The associated batch QC was outside the established quality control range for precision. $ \\$
V	(ESC) - Additional QC Info: The sample concentration is too high to evaluate accurate spike recoveries.
В	$({\ensuremath{\mathtt{EPA}}})$ - The indicated compound was found in the associated method blank as well as the laboratory sample.
J4	The associated batch QC was outside the established quality control range for accuracy.
J5	The sample matrix interfered with the ability to make any accurate determination; spike value is high
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable unless qualified as 'R' (Rejected).

Definitions

- Accuracy The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.
- Precision The agreement between a set of samples or between duplicate samples.

 Relates to how close together the results are and is represented by Relative Percent Difference.
- Surrogate Organic compounds that are similar in chemical composition, extraction, and chromotography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.

 Control Limits

2-Fluorophenol	31-119	Nitrobenzene-d5	43-118	Dibromfluoromethane	72-125
Phenol-d5	12-134	2-Fluorobiphenyl	45-128	Toluene-d8	79-120
2,4,6-Tribromophenol	51-141	Terphenyl-d14	43-137	4-Bromofluorobenzene	66-131

TIC - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.

Summary of Remarks For Samples Printed 04/11/03 at 09:29:10

TSR Signing Reports: 350

Sample: L109468-01 Account: IMSENVVA Received: 04/04/03 09:00 Due Date: 04/09/03 00:00 RPT Date: 04/10/03 15:55 Added M6010TAL, Cn, SV8270TCL, V8260TCL -jh 4/7 Sample: L109468-02 Account: IMSENVVA Received: 04/04/03 09:00 Due Date: 04/09/03 00:00 RPT Date: 04/10/03 15:55

